Test Report Number: SHAH00425497

Applicant: ZHEJIANG HAINING TARP CO.,LTD
QIANJIANG INDUSTRIAL ZONE, DINGQIAO
HAINING CITY .ZHEJIANG .P.R.CHINA
Attn: J.O.YANG

Date: DEC 16, 2013

Sample Description:

One (1) piece of submitted sample said to be :

Item Name	:	PVC TARPAULIN
Buyer	:	NCC CONSTRUCTION SVERIGE AB
Goods Exported To	:	Sweden
Country Of Origin	:	China

****

Tests Conducted:

As requested by the applicant, for details refer to attached page(s).

****

Summary:

According to specified test processes in this report, content of 144 / 138 / 84 / 71 / 53 / 46 / 38 / 15 Substances of Very High Concern (SVHC) in candidate list promulgated by European Chemicals Agency (ECHA), which are defined in article 57 of Regulation (EC) No. 1907/2006 (REACH Regulation), are less than 0.1% (w/w) in submitted sample.

****

To be continued

Authorized By:
For Intertek Testing Services Ltd., Shanghai

Jacob Lin
General Manager

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

(Ⅰ) SVHC Testing Results

Chemical Substance	EC No.	CAS No.	Result (ppm)
Cobalt Dichloride *	231-589-4	7646-79-9	ND
Diarsenic Pentaoxide *	215-116-9	1303-28-2	ND
Diarsenic Trioxide *	215-481-4	1327-53-3	ND
Lead Hydrogen Arsenate *	232-064-2	7784-40-9	ND
Triethyl Arsenate *	427-700-2	15606-95-8	ND
Sodium Dichromate *	234-190-3	7789-12-0, 10588-01-9	ND
Bis (Tributyltin) Oxide (TBTO)*	200-268-0	56-35-9	ND
Anthracene	204-371-1	120-12-7	ND
4,4'-Diaminodiphenylmethane (MDA)	202-974-4	101-77-9	ND
Hexabromocyclododecane (HBCDD) and All Major Diastereoisomers Identified (α-HBCDD, β-HBCDD, γ-HBCDD)	247-148-4 221-695-9	25637-99-4 and 3194-55-6 (134237-50-6,134237-51-7, 134237-52-8)	ND
5-Tert-Butyl-2,4,6-Trinitro-m-Xylene (Musk Xylene)	201-329-4	81-15-2	ND
Bis (2-Ethylhexyl) Phthalate (DEHP)	204-211-0	117-81-7	800
Dibutyl Phthalate (DBP)	201-557-4	84-74-2	ND
Benzyl Butyl Phthalate (BBP)	201-622-7	85-68-7	ND
Short Chain Chlorinated Paraffins (C_{10-13})	287-476-5	85535-84-8	ND
Lead Chromate *	231-846-0	7758-97-6	ND
Lead Chromate Molybdate Sulphate Red (C.I. Pigment Red 104) *	235-759-9	12656-85-8	ND
Lead Sulfochromate Yellow (C.I. Pigment Yellow 34) *	215-693-7	1344-37-2	ND
Tris (2-Chloroethyl) Phosphate	204-118-5	115-96-8	ND
2,4-Dinitrotoluene	204-450-0	121-14-2	ND
Diisobutyl Phthalate (DIBP)	201-553-2	84-69-5	ND
Coal Tar Pitch, High Temperature	266-028-2	65996-93-2	ND
Anthracene Oil	292-602-7	90640-80-5	ND
Anthracene Oil, Anthracene Paste, Distn. Lights	295-278-5	91995-17-4	ND
Anthracene Oil, Anthracene Paste, Anthracene Fraction	295-275-9	91995-15-2	ND
Anthracene Oil, Anthracene-low	292-604-8	90640-82-7	ND
Anthracene Oil, Anthracene Paste	292-603-2	90640-81-6	ND
Acrylamide	201-173-7	79-06-1	ND
Boric Acid *	233-139-2/ 234-343-4	10043-35-3, 11113-50-1	ND
Disodium Tetraborate, Anhydrous *	215-540-4	1330-43-4, 12179-04-3, 1303-96-4	ND
Tetraboron Disodium Heptaoxide, Hydrate *	235-541-3	12267-73-1	ND
Sodium Chromate *	231-889-5	7775-11-3	ND
Potassium Chromate *	232-140-5	7789-00-6	ND
Ammonium Dichromate *	232-143-1	7789-09-5	ND
Potassium Dichromate *	231-906-6	7778-50-9	ND
Trichloroethylene	201-167-4	79-01-6	ND
2-Methoxyethanol	203-713-7	109-86-4	ND
2-Ethoxyethanol	203-804-1	110-80-5	ND
Cobalt Sulphate *	233-334-2	10124-43-3	ND
Cobalt Dinitrate *	233-402-1	10141-05-6	ND
Cobalt Carbonate *	208-169-4	513-79-1	ND
Cobalt Diacetate *	200-755-8	71-48-7	ND
Chromium Trioxide *	215-607-8	1333-82-0	ND
Chromic Acid * Dichromic Acid *	231-801-5 236-881-5	7738-94-5 13530-68-2	ND

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

Chemical Substance	EC No.	CAS No.	Result (ppm)
Oligomers of Chromic Acid and Dichromic Acid *		--	
Strontium Chromate*	232-142-6	7789-06-2	ND
2-ethoxyethyl acetate (2-EEA)	203-839-2	111-15-9	ND
1,2-Benzenedicarboxylic acid, di-C_{7-11}-branched and linear alkyl esters (DHNUP)	271-084-6	68515-42-4	ND
Hydrazine	206-114-9	7803-57-8 302-01-2	ND
1-methyl-2-pyrrolidone	212-828-1	872-50-4	ND
1,2,3-trichloropropane	202-486-1	96-18-4	ND
1,2-Benzenedicarboxylic acid, di-C_{6-8}-branched alkyl esters, C_7-rich (DIHP)	276-158-1	71888-89-6	ND
Lead dipicrate*	229-335-2	6477-64-1	ND
Lead styphnate*	239-290-0	15245-44-0	ND
Lead azide; Lead diazide*	236-542-1	13424-46-9	ND
Phenolphthalein	201-004-7	77-09-8	ND
2,2'-dichloro-4,4'-methylenedianiline (MOCA)	202-918-9	101-14-4	ND
N,N-dimethylacetamide (DMAC)	204-826-4	127-19-5	ND
Trilead diarsenate*	222-979-5	3687-31-8	ND
Calcium arsenate*	231-904-5	7778-44-1	ND
Arsenic acid*	231-901-9	7778-39-4	ND
Bis(2-methoxyethyl) ether	203-924-4	111-96-6	ND
1,2-Dichloroethane	203-458-1	107-06-2	ND
4-(1,1,3,3-tetramethylbutyl)phenol, (4-tert-Octylphenol)	205-426-2	140-66-9	ND
2-Methoxyaniline; o-Anisidine	201-963-1	90-04-0	ND
Bis(2-methoxyethyl) phthalate (DMEP)	204-212-6	117-82-8	ND
Formaldehyde, oligomeric reaction products with aniline (technical MDA)	500-036-1	25214-70-4	ND
Pentazinc chromate octahydroxide*	256-418-0	49663-84-5	ND
Potassium hydroxyoctaoxodizincate di-chromate*	234-329-8	11103-86-9	ND
Dichromium tris(chromate)*	246-356-2	24613-89-6	ND
Aluminosilicate Refractory Ceramic Fibres *	Extracted from index No. 650-017-00-8	(Index No. 650-017-00-8)	ND
Zirconia Aluminosilicate Refractory Ceramic Fibres *	Extracted from index No. 650-017-00-8	(Index No. 650-017-00-8)	ND
1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	203-977-3	112-49-2	ND
1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	203-794-9	110-71-4	ND
Diboron trioxide*	215-125-8	1303-86-2	ND
Formamide	200-842-0	75-12-7	ND
Lead(II) bis(methanesulfonate) *	401-750-5	17570-76-2	ND
TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione)	219-514-3	2451-62-9	ND
β-TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	423-400-0	59653-74-6	ND
4,4'-bis(dimethylamino)benzophenone (Michler's ketone)	202-027-5	90-94-8	ND
N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	202-959-2	101-61-1	ND
[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-	208-953-6	548-62-9	ND

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

Chemical Substance	EC No.	CAS No.	Result (ppm)
959-2)]			
[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	219-943-6	2580-56-5	ND
α,α-Bis[4-(dimethylamino) phenyl]-4(phenylamino) naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	229-851-8	6786-83-0	ND
4,4'-bis(dimethylamino)-4"-(methylamino)trityl alcohol [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	209-218-2	561-41-1	ND
Bis(pentabromophenyl) ether (DecaBDE)	214-604-9	1163-19-5	ND
Pentacosafluorotridecanoic acid	276-745-2	72629-94-8	ND
Tricosafluorododecanoic acid	206-203-2	307-55-1	ND
Henicosafluoroundecanoic acid	218-165-4	2058-94-8	ND
Heptacosafluorotetradecanoic acid	206-803-4	376-06-7	ND
4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]	-	-	ND
4-Nonylphenol, branched and linear: substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof	-	-	ND
Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	204-650-8	123-77-3	ND
Cyclohexane-1,2-dicarboxylic anhydride [1] Cis-cyclohexane-1,2-dicarboxylic anhydride [2] Trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry].	201-604-9, 236-086-3, 238-009-9	85-42-7, 13149-00-3, 14166-21-3	ND
Hexahydromethylphthalic anhydride [1], Hexahydro-4-methylphthalic anhydride [2], Hexahydro-1-methylphthalic anhydride [3], Hexahydro-3-methylphthalic anhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo	247-094-1, 243-072-0, 256-356-4, 260-566-1	25550-51-0, 19438-60-9, 48122-14-1, 57110-29-9	ND

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

Chemical Substance	EC No.	CAS No.	Result (ppm)
isomeric forms) and all possible combinations of the isomers [1] are covered by this entry]			
Methoxy acetic acid	210-894-6	625-45-6	ND
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	284-032-2	84777-06-0	ND
Diisopentylphthalate (DIPP)	210-088-4	605-50-5	ND
N-pentyl-isopentylphthalate	-	776297-69-9	ND
1,2-Diethoxyethane	211-076-1	629-14-1	ND
N,N-dimethylformamide	200-679-5	68-12-2	ND
Dibutyltin dichloride (DBTC)*	211-670-0	683-18-1	ND
Acetic acid, lead salt, basic*	257-175-3	51404-69-4	ND
trilead bis(carbonate) dihydroxide*	215-290-6	1319-46-6	ND
Lead oxide sulfate*	234-853-7	12036-76-9	ND
[Phthalato(2-)]dioxotrilead *	273-688-5	69011-06-9	ND
Dioxobis(stearato)trilead*	235-702-8	12578-12-0	ND
Fatty acids, C16-18, lead salts*	292-966-7	91031-62-8	ND
Lead bis(tetrafluoroborate)*	237-486-0	13814-96-5	ND
Lead cyanamidate*	244-073-9	20837-86-9	ND
Lead dinitrate*	233-245-9	10099-74-8	ND
Lead monoxide (lead oxide)*	215-267-0	1317-36-8	ND
Orange lead (lead tetroxide)*	215-235-6	1314-41-6	ND
Lead titanium trioxide*	235-038-9	12060-00-3	ND
Lead titanium zirconium oxide*	235-727-4	12626-81-2	ND
Pentalead tetraoxide sulphate*	235-067-7	12065-90-6	ND
Pyrochlore, antimony lead yellow*	232-382-1	8012-00-8	ND
Silicic acid ($H_2Si_2O_5$), barium salt (1:1), lead-doped* [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008]	272-271-5	68784-75-8	ND
Silicic acid, lead salt*	234-363-3	11120-22-2	ND
Sulfurous acid, lead salt, dibasic*	263-467-1	62229-08-7	ND
Tetraethyllead*	201-075-4	78-00-2	ND
Tetralead trioxide sulphate*	235-380-9	12202-17-4	ND
Trilead dioxide phosphonate*	235-252-2	12141-20-7	ND
Furan	203-727-3	110-00-9	ND
Methyloxirane (propylene oxide)	200-879-2	75-56-9	ND
Diethyl sulphate	200-589-6	64-67-5	ND
Dimethyl sulphate	201-058-1	77-78-1	ND
3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	421-150-7	143860-04-2	ND
Dinoseb (6-sec-butyl-2,4-dinitrophenol)	201-861-7	88-85-7	ND
4,4'-methylenedi-o-toluidine	212-658-8	838-88-0	ND
4,4'-oxydianiline and its salts	202-977-0	101-80-4	ND
4-Aminoazobenzene	200-453-6	60-09-3	ND
4-methyl-m-phenylenediamine (toluene-2,4-diamine)	202-453-1	95-80-7	ND
6-methoxy-m-toluidine (p-cresidine)	204-419-1	120-71-8	ND
Biphenyl-4-ylamine	202-177-1	92-67-1	ND
o-aminoazotoluene	202-591-2	97-56-3	ND
o-Toluidine	202-429-0	95-53-4	ND
N-methylacetamide	201-182-6	79-16-3	ND
1-bromopropane; n-propyl bromide	203-445-0	106-94-5	ND

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

Chemical Substance	EC No.	CAS No.	Result (ppm)
Cadmium*	231-152-8	7440-43-9	ND
Cadmium oxide*	215-146-2	1306-19-0	ND
Dipentyl phthalate (DPP)	205-017-9	131-18-0	ND
4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	--	--	ND
Ammonium pentadecafluorooctanoate (APFO)	223-320-4	3825-26-1	ND
Pentadecafluorooctanoic acid (PFOA)	206-397-9	335-67-1	ND

Remarks： SVHC = Substance of Very High Concern
Ppm = Parts Per Million Based on Dry Weight = mg/kg
ND = Not Detected
* = Determination was based on elemental analysis

(II) Testing Methods for 144 SVHCs

Testing Item	**Testing Method**	**Reporting Limit**
Lead (Pb)	By microwave digestion and determined by ICP-OES	10 ppm
Arsenic (As)		10 ppm
Cobalt (Co)		10 ppm
Chromium (Cr)		10 ppm
Tin (Sn)		10 ppm
Aluminum (Al)		10 ppm
Molybdenum (Mo)		10 ppm
Zirconium (Zr)		10 ppm
Boron (B)		10 ppm
Strontium (Sr)		10 ppm
Silicon (Si)		10 ppm
Zinc (Zn)		10 ppm
Cadmium (Cd)		10 ppm
Acrylamide	By solvent extraction and determined by GC-MSD	200 ppm
Trichloroethylene		200 ppm
Anthracene		200 ppm
4,4-diaminodiphenylmethane		200 ppm
Dibutyl phthalate (DBP)		200 ppm
5-tert-butyl-2,4,6-trinitro-m-xylene (musk xylene)		200 ppm
Bis (2-ethylhexyl) phthalate (DEHP)		200 ppm
Hexabromocyclododecane (HBCDD) And all major diastereoisomers		200 ppm
Benzyl butyl phthalate (BBP)		200 ppm
Diisobutyl phthalate (DIBP)		200 ppm
2,4-dinitrotoluene		200 ppm
Anthracene oil		500 ppm
Anthracene oil, anthracene paste, distn. Lights		500 ppm
Anthracene oil, anthracene paste, anthracene fraction		500 ppm
Anthracene oil, anthracene-low		500 ppm
Anthracene oil, anthracene paste		500 ppm
2-methoxyethanol		200 ppm
2-ethoxyethanol		200 ppm

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

Testing Item	Testing Method	Reporting Limit
Coal tar pitch, high temperature		500 ppm
Short chain chlorinated parafins (C10-13)	By solvent extraction and determined by GC-ECD	200 ppm
Tris(2-chloroethyl) phosphate	By solvent extraction and determined by GC-MSD	200 ppm
2-ethoxyethyl acetate (2-eea)		200 ppm
1,2-benzenedicarboxylic acid, di-c7-11-branched and linear alkyl esters (DHNUP)		200 ppm
Hydrazine		200 ppm
1-methyl-2- pyrrolidone		200 ppm
1,2-benzenedicarboxylic acid, di-c6-8-branched alkyl esters, c7-rich (DIHP)		200 ppm
1,2,3-trichloropropane		200 ppm
Formaldehyde, oligomeric reaction products with aniline（technical mda）		500 ppm
Bis(2-methoxyethyl) phthalate		200 ppm
2-methoxyaniline; o-anisidine		200 ppm
4-(1,1,3,3-tetramethylbutyl)phenol;4-tert-octylphenol		200 ppm
1,2-dichloroethane		200 ppm
Bis(2-methoxyethyl) ether		200 ppm
N,n-dimethylacetamide		200 ppm
2,2'-dichloro-4,4'-methylenedianiline		200 ppm
Phenolphthalein	By solvent extraction and determined by HPLC	200 ppm
1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	By solvent extraction and determined by GC-MSD	200 ppm
1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)		200 ppm
Formamide		200 ppm
TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6 (1H,3H,5H)-trione)	By solvent extraction and determined by GC-MSD	200 ppm
β-TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)		200 ppm
4,4'-bis(dimethylamino)benzophenone (Michler's ketone)		200 ppm
N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)		200 ppm
[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	By solvent extraction and determined by HPLC	200 ppm
[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]		200 ppm
α,α-Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	By solvent extraction and determined by GC-MSD	200 ppm
4,4'-bis(dimethylamino)-4"-(methylamino)trityl alcohol [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]		200 ppm
Bis(pentabromophenyl) ether (DecaBDE)		200 ppm
Pentacosafluorotridecanoic acid	By solvent extraction and determined by LC-MS/MS	200 ppm

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Tests Conducted

Testing Item	Testing Method	Reporting Limit
Tricosafluorododecanoic acid		200 ppm
Henicosafluoroundecanoic acid		200 ppm
Heptacosafluorotetradecanoic acid		200 ppm
4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]		200 ppm
4-Nonylphenol, branched and linear: substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof		200 ppm
Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	By solvent extraction and determined by HPLC	200 ppm
Cyclohexane-1,2-dicarboxylic anhydride [1] Cis-cyclohexane-1,2-dicarboxylic anhydride [2] Trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry].	By solvent extraction and determined by GC-MSD	200 ppm
Hexahydromethylphthalic anhydride [1], Hexahydro-4-methylphthalic anhydride [2], Hexahydro-1-methylphthalic anhydride [3], Hexahydro-3-methylphthalic anhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry]		200 ppm
Methoxy acetic acid	By solvent extraction and determined by LC-MS/MS	200 ppm
1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	By solvent extraction and determined by GC-MSD	200 ppm
Diisopentylphthalate (DIPP)		200 ppm
N-pentyl-isopentylphthalate		200 ppm
1,2-Diethoxyethane		200 ppm
N,N-dimethylformamide		200 ppm
Furan		200 ppm
Methyloxirane (propylene oxide)		200 ppm
Diethyl sulphate		200 ppm
Dimethyl sulphate		200 ppm
3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	By solvent extraction and determined by LC-MS/MS	200 ppm
Dinoseb (6-sec-butyl-2,4-dinitrophenol)		200 ppm
4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]		200 ppm

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Test Report Number： SHAH00425497

Tests Conducted

Testing Item	Testing Method	Reporting Limit
Ammonium pentadecafluorooctanoate (APFO)		200 ppm
Pentadecafluorooctanoic acid (PFOA)		200 ppm
4,4'-methylenedi-o-toluidine	By solvent extraction and determined by GC-MSD	200 ppm
4,4'-oxydianiline and its salts		200 ppm
4-Aminoazobenzene		200 ppm
4-methyl-m-phenylenediamine (toluene-2,4-diamine)		200 ppm
6-methoxy-m-toluidine (p-cresidine)		200 ppm
Biphenyl-4-ylamine		200 ppm
o-aminoazotoluene		200 ppm
o-Toluidine		200 ppm
N-methylacetamide		200 ppm
1-bromopropane; n-propyl bromide		200 ppm
Dipentyl phthalate (DPP)		200 ppm

Remark：Reporting Limit = Quantitative Limit of Analyte in Sample

Date Sample Received: Dec.4, 2013
Testing Period: Dec.4, 2013 to Dec.10, 2013

****

To be continued

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn

Test Report Number： SHAH00425497

Tests Conducted



****

End of report

Intertek Testing Services Ltd., Shanghai
Block B, Jinling Business Square, No.801 YiShan Road, Shanghai, China. 200233
上海天祥質量技術服務有限公司
上海市宜山路 801 號金陵商務廣場 B 座 200233
Telephone: +86 21 6120 6060 Facsimile: +86 21 6127 9740
www.intertek.com www.intertek.com.cn